




SPECIAL MACHINES



VERTIKA

Grinding and polishing machine for walls and vertical surfaces with built-in vacuum system.



Vertika is another Klindex exclusive. It is the only machine in the world that cleans and polishes vertical surfaces!!! It is also ideal for walls, columns, stairs, bathrooms, kitchens, counter tops etc. It has a variable speed from 0-1000 RPM and it can work both wet and dry. Thanks to its incorporated vacuum system there is no dust or splashing.

*Complete With: Tank, Vacuum System, 5 mt pipe, Kit pad holder, handle.



EASY KIT VERTIKA - set of jaguar flex from grit 30 up to grit 3500, Abrasive Floor Pad White, Green, Black and Red in a duty trolley box. (The easy kit does not include grinding head).

EASYKITVTK 100	EASY KIT Marble and Granite	ø100mm - 4"
EASYKITVTK 125	EASY KIT Marble and Granite	ø125mm - 5"
EASYKITVTK 150	EASY KIT Marble and Granite	ø150mm - 6"
EASYKITVTK 165	EASY KIT Marble and Granite	ø165mm - 6,5"



DATA FOR SHIPPING

Volume Packaging
0,72 m³
Size Packaging
120x80x75 cm
Weight Packaging
94 Kg

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Tools size	Water Tank	Waste Tank	Dimensions WxHxD cm	Weight
Vertika CPL	1900	220	50/60	0-1000 rpm	100/150/240mm [4/6/9,5"]	20 lt	27 lt	118x81x57	55 Kg
Vertika CPL Usa	1900	110	60	0-1000 rpm	100/150/240mm [4/6/9,5"]	20 lt	27 lt	118x81x57	55 Kg



Ideal for countertops



Ideal for stairs



Bush Hammer Kit

JAGUAR FLEX 4"/ø100mm



1000030JA	Jaguar Flex grit 30	4"/ø100mm	4mm
1000060JA	Jaguar Flex grit 60	4"/ø100mm	4mm
1000120JA	Jaguar Flex grit 120	4"/ø100mm	4mm
1000220JA	Jaguar Flex grit 220	4"/ø100mm	4mm
1000400JA	Jaguar Flex grit 400	4"/ø100mm	4mm
1000800JA	Jaguar Flex grit 800	4"/ø100mm	4mm
1001800JA	Jaguar Flex grit 1500	4"/ø100mm	4mm
1003500JA	Jaguar Flex grit 3500	4"/ø100mm	4mm

JAGUAR FLEX 5"/ø125mm




1250030JA	Jaguar Flex grit 30	5"/ø125mm	4mm
1250060JA	Jaguar Flex grit 60	5"/ø125mm	4mm
1250120JA	Jaguar Flex grit 120	5"/ø125mm	4mm
1250220JA	Jaguar Flex grit 220	5"/ø125mm	4mm
1250400JA	Jaguar Flex grit 400	5"/ø125mm	4mm
1250800JA	Jaguar Flex grit 800	5"/ø125mm	4mm
1251800JA	Jaguar Flex grit 1500	5"/ø125mm	4mm
1253500JA	Jaguar Flex grit 3500	5"/ø125mm	4mm

JAGUAR FLEX 6"/ø150mm



1500030JA	Jaguar Flex grit 30	6"/ø150mm	4mm
1500060JA	Jaguar Flex grit 60	6"/ø150mm	4mm
1500120JA	Jaguar Flex grit 120	6"/ø150mm	4mm
1500220JA	Jaguar Flex grit 220	6"/ø150mm	4mm
1500400JA	Jaguar Flex grit 400	6"/ø150mm	4mm
1500800JA	Jaguar Flex grit 800	6"/ø150mm	4mm
1501800JA	Jaguar Flex grit 1500	6"/ø150mm	4mm
1503500JA	Jaguar Flex grit 3500	6"/ø150mm	4mm

JAGUAR FLEX 6,5"/ø165mm



1650030JA	Jaguar Flex grit 30	6,5"/ø165mm	4mm
1650060JA	Jaguar Flex grit 60	6,5"/ø165mm	4mm
1650120JA	Jaguar Flex grit 120	6,5"/ø165mm	4mm
1650220JA	Jaguar Flex grit 220	6,5"/ø165mm	4mm
1650400JA	Jaguar Flex grit 400	6,5"/ø165mm	4mm
1650800JA	Jaguar Flex grit 800	6,5"/ø165mm	4mm
1651800JA	Jaguar Flex grit 1500	6,5"/ø165mm	4mm
1653500JA	Jaguar Flex grit 3500	6,5"/ø165mm	4mm

ML FLEXIBLE 9,5"/ø240mm



240001	ML 1	9,5"/ø240mm	4mm
240002	ML 2	9,5"/ø240mm	4mm
240003	ML 3	9,5"/ø240mm	4mm
240004	ML 4	9,5"/ø240mm	4mm
240005	ML 5	9,5"/ø240mm	4mm
240006	ML 6	9,5"/ø240mm	4mm
240007	ML 7	9,5"/ø240mm	4mm
240008	ML 8	9,5"/ø240mm	4mm

ML FLEXIBLE 6"/ø150mm



00971	ML 1	6"/ø150mm	4mm
00972	ML 2	6"/ø150mm	4mm
00973	ML 3	6"/ø150mm	4mm
00974	ML 4	6"/ø150mm	4mm
00975	ML 5	6"/ø150mm	4mm
00976	ML 6	6"/ø150mm	4mm
00977	ML 7	6"/ø150mm	4mm
00978	ML 8	6"/ø150mm	4mm

FLOOR PAD



30046	Discolux	4"/ø100mm
30066	Discolux	6"/ø150mm
30041	White Pad	4"/ø100mm
30061	White Pad	6"/ø150mm
30042	Green Pad	4"/ø100mm
30062	Green Pad	6"/ø150mm
30043	Black Pad	4"/ø100mm
30063	Black Pad	6"/ø150mm

KIT PAD HOLDER



UT5001	Kit Pad Holder	4"/ø100mm
UT012101	Kit Pad Holder	5"/ø125mm
UT5101	Kit Pad Holder	6"/ø150mm
UT012001	Kit Pad Holder	6,5"/ø165mm
UT5201	Kit Pad Holder	9,5"/ø240mm

KIT BUSH HAMMER

To make anti-slip surfaces on stairs.



UT5401	Complete of rollers
45031	Roller spare part

BRUSHES



10002	Nylon	4"/ø100mm
15002	Nylon	6"/ø150mm
24002	Nylon	9,5"/ø240mm
15005	Soft Nylon	6"/ø150mm
24005	Soft Nylon	9,5"/ø240mm
10004	Winnex	4"/ø100mm
15004	Winnex	6"/ø150mm
24004	Winnex	9,5"/ø240mm

"GRAVITY FREE" KIT

Gravity free kit for Vertika. Adjustable height up to 3 meters.

TE022301	Gravity free kit
----------	------------------





VERTIKA

The only grinding and polishing machine for walls and vertical surfaces.



WATERFIRE

New Edge and Corners MULTI FEATURES Hand Grinder

- The Unique in the Worldwide, with adjustable head
- IP 54 Water and Dust proof



WaterFire Top includes: Back Spherical wheels with independent adjusting, protective sucking cap 125mm, splashguard 125mm, soft platorello 125mm, adjustable head with spherical guides.

WaterFire Top VS includes: Back Spherical wheels with independent adjusting, protective sucking cap 125mm, splashguard 125mm, soft platorello 125mm, adjustable head with spherical guides, variable speed.

Led light and other accessories are optional.



Hand grinder with adjustable head, for corners, Edges, Countertops, skirtings, stairs, for bush-hammer stairs and small surfaces and for open the joints.

WaterFire is the ideal machine to achieve a perfect grinding of natural stones, concrete, wood and a perfect polishing of countertops, shelves, tables and narrow areas. It can be used as a edge grinder, as well as a stairs bush-hammer and as a joint chaser thanks to its extra accessories. **Main Features:** • The only hand grinder with IP54 Protection in the World. • Exceptional asynchronous motor strength, compared to a traditional motor it lasts longer thanks to the protection from external agents like water or dust. • Oversized Gears and bearings, compared to a traditional hand grinder. • Spherical wheels to achieve a perfectly flat surface (to avoid the wave effect). • Front led light to check the working area. • Rotating head feature, for Joint chasing application. • Variable Speed. • Wet or Dry grinding operation (equipped of a water nozzle).



DATA FOR SHIPPING

Volume Packaging
0,10 m³
Size Packaging
45x45x50 cm
Weight Packaging
20 Kg

TECHNICAL DATA

Model	Motor	Volt	Hertz	Speed Tools	Dimensions Tools	Dimensions WxHxD Cm	Weight
WaterFire TOP Adjustable head	750 Watt	220	50	1000 rpm	125/150mm [5/6"]	45x33x23	10 Kg
WaterFire TOP VS Adjustable head	750 Watt	220/110	50/60	500-1600 rpm	125/150mm [5/6"]	45x33x23	10 Kg



Wet and Dry grinding operation.



Wood Sanding.




Grinding and polishing perimeters and edges.

JAGUAR FLEX 5"/ø125mm



1250030JA	Jaguar Flex Grit 30	5"/ø125mm	4mm
1250060JA	Jaguar Flex Grit 60	5"/ø125mm	4mm
1250120JA	Jaguar Flex Grit 120	5"/ø125mm	4mm
1250220JA	Jaguar Flex Grit 220	5"/ø125mm	4mm
1250400JA	Jaguar Flex Grit 400	5"/ø125mm	4mm
1250800JA	Jaguar Flex Grit 800	5"/ø125mm	4mm
1251800JA	Jaguar Flex Grit 1500	5"/ø125mm	4mm
1253500JA	Jaguar Flex Grit 3500	5"/ø125mm	4mm

JAGUAR FLEX 6"/ø150mm



1500030JA	Jaguar Flex Grit 30	6"/ø150mm	4mm
1500060JA	Jaguar Flex Grit 60	6"/ø150mm	4mm
1500120JA	Jaguar Flex Grit 120	6"/ø150mm	4mm
1500220JA	Jaguar Flex Grit 220	6"/ø150mm	4mm
1500400JA	Jaguar Flex Grit 400	6"/ø150mm	4mm
1500800JA	Jaguar Flex Grit 800	6"/ø150mm	4mm
1501800JA	Jaguar Flex Grit 1500	6"/ø150mm	4mm
1503500JA	Jaguar Flex Grit 3500	6"/ø150mm	4mm

GRINDING CUP



125DRC	Double Row Grinding cup	5"/ø125mm
150DRC	Double Row Grinding cup	6"/ø150mm

GRINDING CUP PCD



125PCD	Grinding cup big PCD	5"/ø125mm
--------	----------------------	-----------

CRACK CHASER



125CCL06	Crack chaser	5"/ø125mm	2mm
150CCL06	Crack chaser	6"/ø150mm	2mm

DIAMOND DISC - hole 22,22mm

Thickness of 1,6 mm, designed to re-open the joints of the floor before grouting.



125EL4R	Open-Joints	5"/ø125mm	1,6mm
150EL4R	Open-Joints	6"/ø150mm	1,6mm

EASY KIT - WATERFIRE

The Kit includes: WaterFire, a set of JaguarFlex gr. 30,60,120,220,400,800,1500,3500 and inox trolley.



366WTF125GKIT	Kit WaterFire 125 Adjustable Head	5"/ø125mm
370WTF125VSGKIT	Kit WaterFire 125 VS Adjustable Head	5"/ø125mm
366WTF150GKIT	Kit WaterFire 150 Adjustable Head	6"/ø150mm
370WTF150VSGKIT	Kit WaterFire 150 VS Adjustable Head	6"/ø150mm

LED LIGHT:

Powerful Led light, battery powered with attack magnetized.



UT023801	Led Light WaterFire
----------	---------------------

SANDPAPER 5"/ø140mm VELCRO BACKED



140024	Sandpaper grit 24	5,5"/ø140mm
140036	Sandpaper grit 36	5,5"/ø140mm
140060	Sandpaper grit 60	5,5"/ø140mm
140080	Sandpaper grit 80	5,5"/ø140mm
140100	Sandpaper grit 100	5,5"/ø140mm

TOOLS HOLDER KIT: The Kit includes: vacuum hood, platorello and splashguard.

45047	Tools holder kit	5"/ø125mm
45049	Tools holder kit	6"/ø150mm



LONG HANDLE KIT - The Kit includes: ① handle, ② 8Lt. tank, ③ Pivoting wheels, ④ Grade adjuster, ⑤ Swinging junction, ⑥ Machine control from the handle.



KITMANICOWF Long handle kit



BUSH-HAMMER KIT



UT026001	Vacuum hood kit: vacuum hood, guide for stairs.
UT025001	Bush-Hammer kit: vacuum hood, guide for stairs and art. 45044

BUSH-HAMMER DISC ø110 - M14

45044	Bush-Hammer	4,5"-ø110mm
-------	-------------	-------------



SANDBLASTING ø110 - M14

45046	Sandblasting	4,5"-ø110mm
-------	--------------	-------------



EDGING KIT: The ideal machine for grinding and polishing countertop edges. *The Kit does not include any tool.

45041	Edging Kit
-------	------------



OPEN-JOINTS KIT: With double guide and assisted spring for a perfect cut. *The Kit does not include the machine.

45040	Open-joints Kit
-------	-----------------



AMORTIZED TOOLS HOLDER 5,5"/ø140mm

PD3601	Tools holder to use 5,5"/ø140mm AS Diamond disc
--------	---



WaterFire



Maximum protection against water and dust.

UFO COUNTER TOP

Portable grinding planetary machine to polish counter tops and stairs.



Ufo is a manual planetary polisher for grinding and polishing counter tops, stairs, edges and narrow areas. Thanks to its powerful motor and to the counter-rotating planetary it is possible to grind and to polish marble, granite and concrete. It differs from all the others machines on the market for its robustness and its perfect balance. The speed of the abrasives is studied in order to make the machine stable, easing the grinding and polishing operations. It is supplied with splash guard and connection for vacuum cleaner. Thanks to its accessories, you can transform the Ufo in to a Floor machine for:

- Grinding and polishing stairs.
- Grinding and polishing marble, stones and concrete.
- Sanding wooden floors.
- Making antique finish of marbles, stones and wood.

*Complete of tank, splash guard and kit velcro pad holder.



DATA FOR SHIPPING

Volume Packaging
0,15 m³
Size Packaging
45x45x65 cm
Weight Packaging
31 Kg

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Working Width	Tools size	Water Tank	Dimensions WxHxD cm	Weight
Ufo 290	750 Watt	110/220	50/60	550 rpm	290mm (11,5")	3x100mm (4")	2 lt	37x39x30	23 Kg
Ufo 330	750 Watt	110/220	50/60	550 rpm	330mm (13")	3x140mm (5,5")	2 lt	37x39x34	24 Kg
Ufo 290 VS	750 Watt	110/220	50/60	330-770 rpm	290mm (11,5")	3x100mm (4")	2 lt	37x39x30	26 Kg
Ufo 330 VS	750 Watt	110/220	50/60	330-770 rpm	330mm (13")	3x140mm (5,5")	2 lt	37x39x34	27 Kg



Counter top polishing



Marble polishing



Stairs polishing

EASY KIT UFO

Complete of: Ufo, Tank, pad holder, complete set of Jaguar Flex from grit 30 to grit 3500 and inox Trolley.

UFOKIT290	Kit Ufo 290
UFOKIT330	Kit Ufo 330
UFOKIT290VS	Kit Ufo 290 Vs
UFOKIT330VS	Kit Ufo 330 Vs




JAGUAR FLEX 4"/Ø100MM

1000030JA	Jaguar Flex grit 30	4"/Ø100mm	4mm
1000060JA	Jaguar Flex grit 60	4"/Ø100mm	4mm
1000120JA	Jaguar Flex grit 120	4"/Ø100mm	4mm
1000220JA	Jaguar Flex grit 220	4"/Ø100mm	4mm
1000400JA	Jaguar Flex grit 400	4"/Ø100mm	4mm
1000800JA	Jaguar Flex grit 800	4"/Ø100mm	4mm
1001800JA	Jaguar Flex grit 1500	4"/Ø100mm	4mm
1003500JA	Jaguar Flex grit 3500	4"/Ø100mm	4mm



JAGUAR FLEX 5,5"/Ø140MM

1400030JA	Jaguar Flex grit 30	5,5"/Ø140mm	4mm
1400060JA	Jaguar Flex grit 60	5,5"/Ø140mm	4mm
1400120JA	Jaguar Flex grit 120	5,5"/Ø140mm	4mm
1400220JA	Jaguar Flex grit 220	5,5"/Ø140mm	4mm
1400400JA	Jaguar Flex grit 400	5,5"/Ø140mm	4mm
1400800JA	Jaguar Flex grit 800	5,5"/Ø140mm	4mm
1401800JA	Jaguar Flex grit 1500	5,5"/Ø140mm	4mm
1403500JA	Jaguar Flex grit 3500	5,5"/Ø140mm	4mm



VELCRO PAD HOLDER

00686	Velcro pad holder	5,5"/Ø140mm	UFO 330
00633	Velcro pad holder	4"/Ø100mm	UFO 290



HANDLES WATER TANK INCLUDED

CM018501CPL	Short Handle with Tank 8lt	UFO 290, UFO 330
CM018301CPL	Long Handle with Tank 12lt	UFO 290, UFO 330





EXTREMA

Perimetric grinding and polishing machine with double counter-rotating head.



DIRECTIONAL WHEELS

DATA FOR SHIPPING

Volume Packaging
0,54 m³
Size Packaging
120x60x75 cm
Weight Packaging
70 Kg

NO MORE PAIN !! Klindex' patented 360° directional wheels that allow to move the machine in any direction also along the edges. Ergonomic handle permits standing up working position to avoid back pain and sore knees!
Dust free working. Very balanced thanks counter rotating double disc.

*Complete of water tank, splash guard and velcro baked pad holders.

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Working Width	Tools size	Water Tank	Dimensions WxHxD cm	Weight
Extrema	1900	110/220	50/60	1000 rpm	304mm [12"]	2x146mm [5,7"]	8 lt	66x101x35	51 Kg
Extrema Vs	1900	110/220	50/60	700-1200 rpm	304mm [12"]	2x146mm [5,7"]	8 lt	66x101x35	60 Kg



Perfect grinding in corners and flush with the wall



Vacuum connection



AS system

DA series

For medium hard concrete. Not for use on abrasive floors. Designed for effective, efficient grinding, Achieve maximum square footage.

DA Diamond Tools 5,7"/ø146mm



146719DAEXT	DA00 grit 20	5,7"/ø146mm
146720DAEXT	DA0 grit 40	5,7"/ø146mm
146721DAEXT	DA1 grit 60-80	5,7"/ø146mm
146722DAEXT	DA2 grit 120-150	5,7"/ø146mm

CS series

The best diamond tools for polished superconcrete process. (Not for use on abrasive floors).

CS Diamond Tools 5,7"/ø146mm



146720EXT	CS0 grit 40	5,7"/ø146mm
146721EXT	CS1 grit 60-80	5,7"/ø146mm
146722EXT	CS2 grit 120-150	5,7"/ø146mm

JAGUAR FLEX GREEN Diamond Tools 5,7"/ø146mm



146303	Jaguar Flex 3 Green	5,7"/ø146mm
146304	Jaguar Flex 4 Green	5,7"/ø146mm
146305	Jaguar Flex 5 Green	5,7"/ø146mm
146306	Jaguar Flex 6 Green	5,7"/ø146mm
146307	Jaguar Flex 7 Green	5,7"/ø146mm
146308	Jaguar Flex 8 Green	5,7"/ø146mm
146309	Jaguar Flex 9 Green	5,7"/ø146mm

Marble and Terrazzo series


The best diamond tools for polishing marble, terrazzo and stones.

MS Diamond Tools 5,7"/ø146mm



146900EXT	MS0 grit 40	5,7"/ø146mm
146901EXT	MS1 grit 60-80	5,7"/ø146mm
146902EXT	MS2 grit 120-150	5,7"/ø146mm

JAGUAR FLEX 5,7"/ø146mm



146323JA	Jaguar Flex grit 30	5,7"/ø146mm	4mm
146324JA	Jaguar Flex grit 60	5,7"/ø146mm	4mm
146325JA	Jaguar Flex grit 120	5,7"/ø146mm	4mm
146326JA	Jaguar Flex grit 220	5,7"/ø146mm	4mm
146327JA	Jaguar Flex grit 400	5,7"/ø146mm	4mm
146328JA	Jaguar Flex grit 800	5,7"/ø146mm	4mm
146329JA	Jaguar Flex grit 1500	5,7"/ø146mm	4mm
146330JA	Jaguar Flex grit 3500	5,5"/ø140mm	4mm

Spare Parts

Main accessories and spare parts for Extrema machine.

VELCRO PAD HOLDER



00684	Soft pad holder with velcro	5,7"/ø146mm
00683	Hard pad holder with velcro	5,7"/ø146mm



BABY

Compact and powerful grinding and polishing machine ideal for stairs and narrow areas.



STANDARD BRUSH

DATA FOR SHIPPING

Volume Packaging
0,45 m³
Size Packaging
60x120x62 cm
Weight Packaging
49 Kg

Light and compact floor care machine designed for polishing stairs, bathroom, kitchen and narrow areas. The multidirectional wheels, with adjustable height, allow to easily adjust it to any stair. Pad holders and brushes of size 330mm/(13") or 280mm/(11") are available at customer's choice. The powerful motor of 1,7 HP allows the use Planetary 1000/800 rpm.

*Complete with Water tank and Pad Holder 280 mm.

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Working Width	Water Tank	Dimensions WxHxD cm	Weight
Baby Cpl	1450	110/220	50/60	155 rpm	280/330mm [11/13"]	8 Lt	59x81x29	38 Kg



Ideal to clean counter tops



Ideal to polish stairs



Available with planetary

PAD HOLDER

Pad holder for abrasive floor pads and velcro backed diamond discs.

28001	Pad Holder 280	11"/ø280mm
33001	Pad Holder 330	13"/ø330mm



EASY PLATE

Pad holder for 3 abrasive floor pads and velcro backed diamond discs 5,5"/ø140mm.

280159	Easy Plate 280	11"/ø280mm
330159	Easy Plate 330	13"/ø330mm



STANDARD BRUSH for maintenance

28002	Nylon Brush	11"/ø280mm
33002	Nylon Brush	13"/ø330mm



SOFT BRUSH for carpet cleaning

28005	Soft Brush	11"/ø280mm
33005	Soft Brush	13"/ø330mm



POLISHING BRUSH

33003	Polishing Brush	13"/ø330mm
-------	-----------------	------------



HARD BRUSH for heavy duty cleaning

33004	Winnex Brush	13"/ø330mm
-------	--------------	------------



MS 11"/ø280mm 12 Segments

Metalbond Diamond Tools for Marble and terrazzo grinding.

280900	MS0	11"/ø280mm
280901	MS1	11"/ø280mm
280902	MS2	11"/ø280mm



KLIMBER 4"/ø100mm


Diamond resin discs specially designed with large, raised segments for long life.

1010060	Klimber Grit 60	4"/ø100mm	7mm
1011020	Klimber Grit 120	4"/ø100mm	7mm
1012020	Klimber Grit 220	4"/ø100mm	7mm
1010400	Klimber Grit 400	4"/ø100mm	7mm
1010800	Klimber Grit 800	4"/ø100mm	7mm
1011500	Klimber Grit 1500	4"/ø100mm	7mm



SPLASH GUARD

AP3301	Splash Guard	124x10cm	7mm
--------	--------------	----------	-----





MINIELLE

Grinding and polishing machine for borders, small spaces and stairs.



DATA FOR SHIPPING

Volume Packaging
0,28 m³
Size Packaging
60x75x47 cm
Weight Packaging
30 Kg

Minielle is the ideal solution for grinding and polishing stairs, small bathrooms, borders, corners and narrow areas where normal floor grinding machines cannot work. The multidirectional wheels, with adjustable height, allow to easily adjust it to any stair.

*Complete of: Tank, long Handle, holding plate ø150mm, adjustable wheels, splash-guard ø150, change rotation dx/sx switch.

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Working Width	Water Tank	Dimensions WxHxD cm	Weight
MiniElle	750 Watt	110/220	50/60	1000 rpm	100/150mm (4/5,5")	8 Lt	63x85x32	20 Kg



Adjustable wheels



Works in tight spaces




Easy manoeuvrability

JAGUAR FLEX 4"/ø100mm



1000030JA	Jaguar Flex grit 30	4"/ø100mm	4mm
1000060JA	Jaguar Flex grit 60	4"/ø100mm	4mm
1000120JA	Jaguar Flex grit 120	4"/ø100mm	4mm
1000220JA	Jaguar Flex grit 220	4"/ø100mm	4mm
1000400JA	Jaguar Flex grit 400	4"/ø100mm	4mm
1000800JA	Jaguar Flex grit 800	4"/ø100mm	4mm
1001800JA	Jaguar Flex grit 1500	4"/ø100mm	4mm
1003500JA	Jaguar Flex grit 3500	4"/ø100mm	4mm

JAGUAR FLEX 6"/ø150mm



1500030JA	Jaguar Flex grit 30	6"/ø150mm	4mm
1500060JA	Jaguar Flex grit 60	6"/ø150mm	4mm
1500120JA	Jaguar Flex grit 120	6"/ø150mm	4mm
1500220JA	Jaguar Flex grit 220	6"/ø150mm	4mm
1500400JA	Jaguar Flex grit 400	6"/ø150mm	4mm
1500800JA	Jaguar Flex grit 800	6"/ø150mm	4mm
1501800JA	Jaguar Flex grit 1500	6"/ø150mm	4mm
1503500JA	Jaguar Flex grit 3500	6"/ø150mm	4mm

ML FLEXIBLE 6"/ø150mm



00971	ML 1	6"/ø150mm	4mm
00972	ML 2	6"/ø150mm	4mm
00973	ML 3	6"/ø150mm	4mm
00974	ML 4	6"/ø150mm	4mm
00975	ML 5	6"/ø150mm	4mm
00976	ML 6	6"/ø150mm	4mm
00977	ML 7	6"/ø150mm	4mm
00978	ML 8	6"/ø150mm	4mm

FLOOR PAD



30046	Discolux	4"/ø100mm
30066	Discolux	6"/ø150mm
30041	White Pad	4"/ø100mm
30061	White Pad	6"/ø150mm
30042	Green Pad	4"/ø100mm
30062	Green Pad	6"/ø150mm
30043	Black Pad	4"/ø100mm
30063	Black Pad	6"/ø150mm

VELCRO PAD HOLDER



ML9953	Velcro Pad Holder	4"/ø100mm
ML9954	Velcro Pad Holder	6"/ø150mm

SPLASH GUARD



RD05801	Splash Guard	4"/ø100mm
RD05901	Splash Guard	6"/ø150mm

MINIPOWER

Orbital machine. Clean and polish where rotary cleaners cannot work



Minipower is a little machine with a big performance! With its "square" brush it can clean and polish even where the rotary cleaning machines cannot. It's the ideal solution for stairs, corners, small bathrooms, kitchens and narrow areas.

*MINIPOWER CPL Complete With: tank, long handle, short handle, lateral grip, holding plate 25x12, black white and green cleaning pads 25x12.

*MINIPOWER SHORT Complete With: short handle, holding plate 25x12, black white and green cleaning pads 25x12.

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Working Width	Water Tank	Dimensions WxHxD cm	Weight
Minipower CPL	150 Watt	110/220	50/60	45 osc/s	250x120/310x140mm (10,4x5"/13x5,8")	8 lt	42x110x25	11 Kg
Minipower Short	150 Watt	110/220	50/60	45 osc/s	250x120/310x140mm (10,4x5"/13x5,8")	Optional	42x42x25	11 Kg



Stairs grinding



Perfect grinding in corners



Ideal to polish step rises

DELTA DIAMOND TOOLS



S DIAMOND TOOLS

DATA FOR SHIPPING

Volume Packaging
0,20 m³

Size Packaging
40x40x115 cm

Weight Packaging
15 Kg

PLATE PAD HOLDER



000126	Plate	250x120mm (10,4x5")
000129	Plate	310x140mm (13x5,8")

ABRASIVE PAD BLACK



000217	Black Pad	250x120mm (10,4x5")	Box 10 pcs
000216	Black Pad	310x140mm (13x5,8")	Box 10 pcs

ABRASIVE PAD WHITE



000218	White Pad	250x120mm (10,4x5")	Box 10 pcs
000219	White Pad	310x140mm (13x5,8")	Box 10 pcs

ABRASIVE PAD GREEN



000232	Green Pad	250x120mm (10,4x5")	Box 10 pcs
000233	Green Pad	310x140mm (13x5,8")	Box 10 pcs

S Diamond Tools



000302	S2	310x140mm (13x5,8")	Box 2 pcs
000303	S3	310x140mm (13x5,8")	Box 2 pcs
000304	S4	310x140mm (13x5,8")	Box 2 pcs
000305	S5	310x140mm (13x5,8")	Box 2 pcs
000306	S6	310x140mm (13x5,8")	Box 2 pcs
000307	S7	310x140mm (13x5,8")	Box 2 pcs

PPL BRUSH



000250	PPL Brush	250x120mm (10,4x5")
--------	-----------	---------------------

PAD HOLDER DELTA



000126D	Delta plate	165x215mm (6,5x8")
---------	-------------	--------------------

S DELTA Diamond Tools



000302D	S2 DELTA	165x215mm (6,5x8")
000303D	S3 DELTA	165x215mm (6,5x8")
000304D	S4 DELTA	165x215mm (6,5x8")
000305D	S5 DELTA	165x215mm (6,5x8")
000306D	S6 DELTA	165x215mm (6,5x8")
000307D	S7 DELTA	165x215mm (6,5x8")

KIT SUPERSHINE and SPONGELUX DELTA



00300KIT	Complete Kit Supershine	165x215mm (6,5x8")
00301DS	Supershine 1 DELTA	165x215mm (6,5x8")
00302DS	Supershine 2 DELTA	165x215mm (6,5x8")
00303DS	Supershine 3 DELTA	165x215mm (6,5x8")
00310	Spongelux	165x215mm (6,5x8")

HANDLE



000101	Short Handle
--------	--------------

MAXIQUADRA

- Ideal for accurate grinding and polishing, flush with the wall and in the corners.
- Grinds, polishes, washes, restores and sands.
- Environmentally friendly: reduces the consumption of water and chemicals.



Maxi Quadra TP
with swinging plate and
big wheels



Maxi Quadra, powerful single-brush floor care machine with 20"/510mm swinging and rectangular plate, is perfect for working on any surface, both with and without water. Thanks to the complete range of tools, Maxi Quadra is a machine suitable for many applications:

- It can be used to restore and thoroughly clean resin, PVC, linoleum and rubber floors, without the need to use chemicals, thus protecting the environment and the health of users.
- Grinds and sands various surfaces such as wood, marble, concrete, reconstructed stone and stone.
- Polishes like a traditional single-brush floor care machine but with the advantage of being able to reach into corners.
- Thanks to the rectangular plate, it is ideal for working under radiators or to reach tight spaces.
- Thanks to the very low level of noise, it is also recommended for sensitive environments such as hospitals, hotels, etc...
- Ensures water-free and completely dust-free operation, thanks to the powerful dedicated extraction kit (optional).

* The machine does not include dust extractor, water tank and any other accessories.





FULL RANGE OF ACCESSORIES

DATA FOR SHIPPING

Volume Packaging
0,72 m³
Size Packaging
120x80x75 cm
Weight Packaging
85 Kg

TECHNICAL DATA

Model	Motor Watt max	Volt	Hertz	Speed tools	Working Width	Water Tank	Dimensions WxHxD cm	Weight
Maxi Quadra TP	1900	110/220	50/60	2890 osc/m	360mm x 510mm	18 lt	51x117x84	42 Kg
Maxi Quadra TP VS	1900	110/220	50/60	2100-3000 osc/m	360mm x 510mm	18 lt	51x117x84	42 Kg



Unlike the circular pad, the rectangular pad reaches corners easily and works evenly flush with the wall.

FLOOR PADS



609361	White Pad	510mm/20"
609365	Red Pad	510mm/20"
609362	Black Pad	510mm/20"
609363	Green Pad	510mm/20"
609366	Discolux	510mm/20"

SUPERSHINE PLUS



604360KIT	KIT Supershine Plus	510mm/20"
604360	Supershine Plus 0	510mm/20"
604361	Supershine Plus 1	510mm/20"
604362	Supershine Plus 2	510mm/20"
604363	Supershine Plus 3	510mm/20"
604364	Supershine Plus 4	510mm/20"
30814	Spongelux	510mm/20"

SUPERSHINE SOFT



603360KIT	KIT Supershine Soft	510mm/20"
603360	Supershine Soft 0	510mm/20"
603361	Supershine Soft 1	510mm/20"
603362	Supershine Soft 2	510mm/20"
603363	Supershine Soft 3	510mm/20"
603364	Supershine Soft 4	510mm/20"

KING CONC



30909KIT	KIT King Conc	510mm/20"
30909	King Conc 00	510mm/20"
30910	King Conc 0	510mm/20"
30911	King Conc 1	510mm/20"
30912	King Conc 2	510mm/20"
30913	King Conc 3	510mm/20"
30914	King Conc 4	510mm/20"

SANDPAPER



510036	Sandpaper grit 36	510mm/20"
510060	Sandpaper grit 60	510mm/20"
510080	Sandpaper grit 80	510mm/20"
510100	Sandpaper grit 100	510mm/20"

MESH SCREEN



510060R	Mesh Screen grit 60	510mm/20"
510080R	Mesh Screen grit 80	510mm/20"
510120R	Mesh Screen grit 120	510mm/20"
510220R	Mesh Screen grit 220	510mm/20"

STRIPPWAX



is a pad designed for removing wax from linoleum, pvc, rubber etc. and for removing varnish from parquet. No needs water and chemical wax stripper.

30118	Strippwax	510mm/20"
-------	-----------	-----------

MICROFIBRE CLOTHS



04232	Microfibre Cloths	510mm/20"
-------	-------------------	-----------

EXTRACTION KIT



AP1201S	Extraction Kit	18 lt.
---------	----------------	--------

FLUID TANK



45000	Fluid tank 12 Lt.
SE4501	Fluid tank 18 lt.

EXTRA WEIGHTS



6.5Kg each It can be fitted with up to 4 extra weights.

UT80101	Extra Weights
---------	---------------





Perfect grinding in corners and flush with the wall



Works in tight spaces



Cleans and polishes stone and cultured marble floors



before

after

Restores and cleans linoleum, PVC, and rubber



Restores and removes scratches from marble and stone



Polishes concrete floors



Cleans carpets and rugs



Restores and cleans resin and painted floors



KlindexDemo

Calling the number **+39 085 859546** it is possible to book a **demonstration** at your headquarters or your working site.

Klindex® always close to its customers!



Your local distributor:



Klindex s.r.l. - SS 5 Tiburtina Valeria km 209+200 Manoppello (PE) Italy - Tel +39 085 859 546 Fax +39 085 8599 224 - www.klindex.com - info@klindex.com